


3P Power

Passion **P**rofession **P**erfection



PRODUCT CATALOGUE

Brilliant Series 2RU PDU

Brilliant Series 2RU PDU



• Description

3P Brilliant Series 2RU PDU rack mounting type is a compact power distribution unit and provides power distribution and overload protection from power source to loads. It is utilized in both AC and DC application.

Typically, the standard Brilliant Series 19" 2RU PDU provides 21 units of single pole 18mm MCB with single input common bar and isolated dual feed A & B inputs single pole 18mm MCB with maximum 8 units of outgoing single pole 18mm MCB of each feed. The maximum rating of MCB is 63A.

The Brilliant Series 2RU PDU can be with 21" and 23" rack mounting with either single pole MCB or double pole MCBs or three pole or four pole and either single feed input or dual feed inputs.

• Main Features

- Compact size
- Easy Installation
- Easy cable termination
- Rare and sides cable Entry
- Neat and tidy cable management
- Easy identification of MCB from one look
- Flexible selection of type and rating of MCB
- Application for both AC and DC Power Distribution
- Easy front access operation with MCB protection cover

• Standards

IEC/EN 60898-1, IEC/EN 60898-2 and IEC/EN 60947-2

• 19" Standard PDU Configuration

Isolated Single PDU

MCB Type	Quantity
1 Pole	21
2 Pole	10
3 Pole	7
4 Pole	5

Isolated Dual Feed PDU with 1 Pole MCB

	Incoming Quantity	Outgoing Quantity
Feed A	1	8
Feed B	1	8


Isolated Dual Feed PDU with 2 Pole MCB

	Incoming Quantity	Outgoing Quantity
Feed A	1	3
Feed B	1	3



Brilliant Series 2RU PDU

3P Power One Stop Solution



3P Power

Passion Profession Perfection

3P Power Pte Ltd

1 UBI View, #04-21

Focus One Singapore 408555

T +65 743 1006 & +65 6635 7632

F +65 6634 1129

E enquiry@3ppower.com

W www.3ppower.com

Offices

- Singapore
- Myanmar