

Passion Profession Perfection



PRODUCT CATALOGUE

Brilliant Series 2RU PDU

Brilliant Series 2RU PDU



DESCRIPTION

3P Brilliant Series 2RU PDU rack mounting type is a compact power distribution unit and provides power distribution and overload protection from power source to loads. It is utilized in both AC and DC application.

Typically, the standard Brilliant Series 19" 2RU PDU provides 21 units of single pole 18mm MCB with single input common bar and isolated dual feed A & B inputs single pole 18mm MCB with maximum 8 units of outgoing single pole 18mm MCB of each feed. The maximum rating of MCB is 63A.

The Brilliant Series 2RU PDU can be with 21" and 23" rack mounting with either single pole MCB or double pole MCBs or three pole or four pole and either single feed input or dual feed inputs.

FEATURES

- Compact size
- Easy Installation
- Easy cable termination
- Rare and sides cable Entry
- Neat and tidy cable management

- Easy identification of MCB from one look
- Flexible selection of type and rating of MCB
- Application for both AC and DC Power Distribution
- Easy front access operation with MCB protection cover

19" STANDARD CONFIGURATION

Isolated Single PDU

| МСВ Туре | Quantity |
|----------|----------|
| 1 Pole | 21 |
| 2 Pole | 10 |
| 3 Pole | 7 |
| 4 Pole | 5 |

Isolated Dual Feed PDU with 1 Pole MCB

| | Incoming Quantity | Outgoing Quantity |
|--------|-------------------|-------------------|
| Feed A | 1 | 8 |
| Feed B | 1 | 8 |

Isolated Dual Feed PDU with 2 Pole MCB

| Outgoing Quantity | | |
|--------------------------|--|--|
| 3 | | |
| 3 | | |

3P Power One Stop Solution





3P POWER PTE. LTD.

1 Genting Link, #04-02, Perfect One Building, Singapore 349518

- T +65 6743 1006 & +65 6019 0772
- E enquiry@3ppower.com
- W www.3ppower.com